



SEQUENCE LISTING

<110> Cano, Carlos Antonio Durante
Nieto, Enrique Gerardo Guillen
Acosta, Anabel Alvarez
Munoz, Luis Emilio Carpio
Vazquez, Diogenes Quintana
Rodriguez, Carmen Elena Gomez
Rodriguez, Recardo de la Caridad Siva
Galvez, Consuelo Nazabal
Angulo, Maria de Jesus Leal
Dunn, Alejandro Miguel Martin

<120> Expression System of Heterologous Antigens as Fusion Proteins

<130> LEXSA P-13DIV2

<140> 09/612,925

<141> 2000-07-10

<150> US 08/930,917

<151> 1997-09-16

<150> PCT/CU97/00001

<151> 1997-01-17

<160> 29

<170> PatentIn version 3.2

<210> 1

<211> 1797

<212> DNA

<213> Neisseria meningitidis (group B)

<400> 1

atgctagata aaagaatggc tttagttgaa ttgaaagtgc cgcacattgg cggacacgaa	60
aatgtagata ttatcgcggt tgaagtaaac gtgggcgaca ctattgctgt ggacgatacc	120
ctgattactt tggaaaccga taaagcgact atggacgtac ctgctgaagt tgcaggccta	180
gtcaaagaag ttaaagttaa agtcggcgac aaaatctctg aaggtggttt gattgtcgtc	240
gttgaagctg aaggcacggc agccgctcct aaagccgaag cggctgccgc cccggcgcaa	300
gaagccccta aagctgccgc tcctgctccg caagccgcgc aattcggcgg ttctgccgat	360
gccgagtacg acgtggctgt attgggtggc ggtcccggcg gttactccgc tgcatttgcc	420
cctgccgatg aaggcttgaa agtcgccatc gtcgaacgtt acaaaacttt gggcggcggt	480
tgctgaacg tcggctgtat cccttccaaa gccttggtgc acaatgccgc cgttatcgac	540
gaagtgcgcc acttggctgc caacggtatc aaataccccg agccggaact cgacatcgat	600

```

atgcttcgcg cctacaaaga cggcgtagtt tccccctca cgggcggttt ggcaggtatg 660
gcgaaaagcc gtaaagtgga cgttatccaa ggcgacgggc aattcttaga tccgcaccac 720
ttggaagtgt cgctgactgc cggcgacgcg tacgaacagg cagcccctac cggcgagaaa 780
aaaatcgttg ccttcaaaaa ctgtatcatt gcagcaggca gccgcgtaac caaactgcct 840
ttcattcctg aagatccgca catcatcgat tccagcggcg cattggctct gaaagaagta 900
ccgggcaaac tgctgattat cggcggcggc attatcagcc tcgagatggg tacggttttac 960
agcacgctgg gttcgcgttt ggatgtgggt gaaatgatgg acggcctgat gcaaggcgca 1020
gaccgcgatt tggtaaaagt atggcaaaaa caaacgaat accgttttga caacattatg 1080
gtcaacacca aaaccgttgc agttgagccg aaagaagacg gcgtttacgt tacctttgaa 1140
ggcgcgaacg cgcctaaaga gccgcaacgc tacgatgccg tattggttgc cgccggccgc 1200
gcgccaacg gcaaactcat cagcgcggaa aaagcaggcg ttgccgtaac cgatcgcggc 1260
ttcatcgaag tggacaaaca aatgcgtacc aatgtgccgc acatctacgc catcggcgac 1320
atcgtcggtc agccgatgtt ggcgcacaaa gccgttcacg aaggccacgt tgccgccgaa 1380
aactgcgccg gccacaaagc ctacttcgac gcacgcgtga ttccgggcgt tgcctacact 1440
tccccgaag tggcgtgggt gggcgaaacc gaactgtccg ccaaagcctc cggccgcaaa 1500
atcaccaaag ccaacttccc gtgggcggct tccggccgtg cgattgccaa cggttgcgac 1560
aacggcttta ccaagctgat ttttgatgcc gaaaccggcc gcatcatcgg cggcggcatt 1620
gtcgggtccga acggtggcga tatgatcggc gaagtctgcc ttgccatcga aatgggctgc 1680
gacgcggcag acatcggcaa aaccatccac ccgcacccga ccttgggcga atccatcgg 1740
atggcggcgg aagtggcatt ggggtacttg accgacctgc ctccgcaaaa gaaaaaa 1797

```

```

<210> 2
<211> 47
<212> PRT
<213> Neisseria meningitidis (group B)

```

```
<400> 2
```

```

Met Val Asp Lys Arg Met Ala Leu Val Glu Leu Lys Val Pro Asp Ile
1           5           10          15

```

```

Gly Gly His Glu Asn Val Asp Ile Ile Ala Val Glu Val Asn Val Gly
20          25          30

```

Asp Thr Ile Ala Val Asp Asp Thr Leu Ile Thr Leu Asp Leu Glu
35 40 45

<210> 3
<211> 146
<212> DNA
<213> Neisseria meningitidis (group B)

<400> 3
ttccatggta gataaaaagaa tggctttagt tgaattgaaa gtgcccgaca ttggcggaca 60
cgaaaaatga gatattatcg cggttgaagt aaacgtgggc gacactattg ctgtggacga 120
taccctgatt actttggatc tagaaa 146

<210> 4
<211> 18
<212> PRT
<213> Neisseria meningitidis (group B)

<400> 4

Val Asn Val Gly Asp Thr Ile Ala Val Asp Asp Thr Leu Ile Thr Leu
1 5 10 15

Asp Leu

<210> 5
<211> 18
<212> PRT
<213> Neisseria meningitidis (group B)

<400> 5

Val Glu Val Gly Ser Lys Ile Tyr Val Asp Asp Gly Leu Ile Ser Leu
1 5 10 15

Gln Val

<210> 6
<211> 32
<212> PRT
<213> Neisseria meningitidis (group B)

<400> 6

Leu Val Glu Leu Lys Val Pro Asp Ile Gly Gly His Glu Asn Val Asp
1 5 10 15

Ile Ile Ala Val Glu Val Asn Val Gly Asp Thr Ile Ala Val Asp Asp
20 25 30

<210> 7
<211> 32
<212> PRT
<213> Neisseria meningitidis (group B)

<400> 7

Leu Arg Glu Val Gln Val Pro Asp Arg Lys Leu His Lys Gly Val Gln
1 5 10 15

Leu Leu Ala Gly Glu Leu Gly Ile Gly Glu Ala Leu Gln Val Asp Asp
20 25 30

<210> 8
<211> 162
<212> PRT
<213> Neisseria meningitidis (group B)

<400> 8

Met Val Asp Lys Arg Met Ala Leu Val Glu Leu Lys Val Pro Asp Ile
1 5 10 15

Gly Gly His Glu Asn Val Asp Ile Ile Ala Val Glu Val Asn Val Gly
20 25 30

Asp Thr Ile Ala Val Asp Asp Thr Leu Ile Thr Leu Asp Leu Asp Ser
35 40 45

Arg Gly Ile Arg Ile Gly Pro Gly Arg Ala Ile Leu Ala Thr Ala Gly
50 55 60

Gly Gly Ala Arg Gln Ser Thr Pro Ile Gly Leu Gly Gly Ala Leu Tyr
65 70 75 80

Thr Thr Ala Gly Gly Gly Ala Arg Lys Ser Ile Thr Lys Gly Pro Gly
85 90 95

Arg Val Ile Tyr Ala Thr Ala Gly Gly Gly Ala Arg Lys Arg Ile His
 100 105 110

Ile Gly Pro Gly Arg Ala Phe Tyr Thr Thr Ala Gly Gly Gly Ala Arg
 115 120 125

Lys Arg Ile Thr Met Gly Pro Gly Arg Val Tyr Tyr Thr Thr Ala Gly
 130 135 140

Gly Gly Ala Ser Ile Arg Ile Gln Arg Gly Pro Gly Arg Ala Phe Val
 145 150 155 160

Thr Ile

<210> 9
 <211> 489
 <212> DNA
 <213> Neisseria meningitidis (group B)

<400> 9
 atggtagata aaagaatggc tttagttgaa ttgaaagtgc cgcacattgg cggacacgaa 60
 aatgtagata ttatcgcggt tgaagtaaac gtgggcgaca ctattgctgt ggacgatacc 120
 ctgattactt tggatctaga ctcgagaggc attcgtatcg gcccaggctcg cgcaatttta 180
 gcaacagctg gcggtggcgc acgtcaatct acccctattg gtttaggtca ggctctgtat 240
 acgactgccg gcggtggtgc gcgcaaaagt atcaccaagg gtccaggccg cgtcatttac 300
 gccaccgcgg gcggcggtgc ccgtaagcgt atccacattg gcccaggccg tgcattctat 360
 actacagcag gtggtggcgc acgtaaacgc atcactatgg gtcctggctcg cgtctattac 420
 acgaccgctg gcggcggtgc tagcattcgc atccaacgcg gccctggctcg tgcatttgtg 480
 accatatga 489

<210> 10
 <211> 47
 <212> PRT
 <213> Neisseria meningitidis (group B)

<400> 10

Met Leu Asp Lys Arg Met Ala Leu Val Glu Leu Lys Val Pro Asp Ile
 1 5 10 15

Gly Gly His Glu Asn Val Asp Ile Ile Ala Val Glu Val Asn Val Gly
 20 25 30

Asp Thr Ile Ala Val Asp Asp Thr Leu Ile Thr Leu Glu Thr Asp
 35 40 45

<210> 11
 <211> 29
 <212> DNA
 <213> Artificial

<220>
 <223> Primer 5' No. 1573

<400> 11
 ttccatggta gataaaagaa tggctttag

29

<210> 12
 <211> 29
 <212> DNA
 <213> Artificial

<220>
 <223> Primer 3' No. 1575

<400> 12
 tttctagatc caaagtaatc agggatatcg

29

<210> 13
 <211> 26
 <212> DNA
 <213> Artificial

<220>
 <223> Primer 3' No. 2192

<400> 13
 ggcggttctg ccgattaagg atccga

26

<210> 14
 <211> 16
 <212> DNA
 <213> Artificial

<220>
 <223> Oligonucleotide used to introduce restriction sites XbaI, EcoV,
 and BamHI in the 3' end of the stabilizer fragment of SEQ. ID.
 NO. 13

<400> 14
ctagatttga tatcag 16

<210> 15
<211> 16
<212> DNA
<213> Artificial

<220>
<223> Oligonucleotide used to introduce restriction sites XbaI, EcoV,
and BamHI in the 3' end of the stabilizer fragment of SEQ. ID.
NO. 13

<400> 15
gatcctgata tcaaat 16

<210> 16
<211> 15
<212> PRT
<213> Human immunodeficiency virus type 1

<400> 16

Ser Arg Gly Ile Arg Ile Gly Pro Gly Arg Ala Ile Leu Ala Thr
1 5 10 15

<210> 17
<211> 15
<212> PRT
<213> Human immunodeficiency virus type 1

<400> 17

Arg Gln Ser Thr Pro Ile Gly Leu Gly Gln Ala Leu Tyr Thr Thr
1 5 10 15

<210> 18
<211> 15
<212> PRT
<213> Human immunodeficiency virus type 1

<400> 18

Arg Lys Ser Ile Thr Lys Gly Pro Gly Arg Val Ile Tyr Ala Thr
1 5 10 15

<210> 19
<211> 15
<212> PRT
<213> Human immunodeficiency virus type 1

<400> 19

Arg Lys Arg Ile His Ile Gly Pro Gly Arg Ala Phe Tyr Thr Thr
1 5 10 15

<210> 20

<211> 15

<212> PRT

<213> Human immunodeficiency virus type 1

<400> 20

Arg Lys Arg Ile Thr Met Gly Pro Gly Arg Val Tyr Tyr Thr Thr
1 5 10 15

<210> 21

<211> 15

<212> PRT

<213> Neisseria meningitidis (group B)

<400> 21

Ser Ile Arg Ile Gln Arg Gly Pro Gly Arg Ala Phe Val Thr Ile
1 5 10 15

<210> 22

<211> 15

<212> PRT

<213> Human immunodeficiency virus type 1

<400> 22

Thr Ser Ile Thr Ile Gly Pro Gly Gln Val Phe Tyr Arg Thr Gly
1 5 10 15

<210> 23

<211> 15

<212> PRT

<213> Human immunodeficiency virus type 1

<400> 23

Arg Gln Arg Thr Ser Ile Gly Gln Gly Gln Ala Leu Tyr Thr Thr
1 5 10 15

<210> 24

<211> 5

<212> PRT

<213> Artificial

<220>

<223> Spacer peptide that divides the various V3 epitopes in the MEPS
TAB3, TAB4, TAB9, and TAB13

<400> 24

Ala Gly Gly Gly Ala
1 5

<210> 25

<211> 141

<212> PRT

<213> Artificial

<220>

<223> Multiepitopic polypeptides that includes several copies of the
central part of the variable region 3 of the gp120 protein of the
HIV-1

<400> 25

Met Ala Pro Thr Ser Ser Ser Thr Ala Gln Thr Gln Leu Gln Leu Glu
1 5 10 15

His Leu Leu Leu Asp Leu Gln Ile Phe Leu Ser Arg Gly Ile Arg Ile
20 25 30

Gly Pro Gly Arg Ala Ile Leu Ala Thr Ala Gly Gly Gly Ala Arg Gln
35 40 45

Ser Thr Pro Ile Gly Leu Gly Gly Ala Leu Tyr Thr Thr Ala Gly Gly
50 55 60

Gly Ala Arg Lys Ser Ile Thr Lys Gly Pro Gly Arg Val Ile Tyr Ala
65 70 75 80

Thr Ala Gly Gly Gly Ala Arg Lys Arg Ile His Ile Gly Pro Gly Arg
85 90 95

Ala Phe Tyr Thr Thr Ala Gly Gly Gly Ala Arg Lys Arg Ile Thr Met
100 105 110

Gly Pro Gly Arg Val Tyr Tyr Thr Thr Ala Gly Gly Gly Ala Ser Ile
115 120 125

Arg Ile Gln Arg Gly Pro Gly Arg Ala Phe Val Thr Ile
130 135 140

<210> 26
<211> 162
<212> PRT
<213> Artificial

<220>
<223> Multiepitopic polypeptides that includes several copies of the
central part of the variable region 3 of the gp120 protein of the
HIV-1

<400> 26

Met Val Asp Lys Arg Met Ala Leu Val Glu Leu Lys Val Pro Asp Ile
1 5 10 15

Gly Gly His Glu Asn Val Asp Ile Ile Ala Val Glu Val Asn Val Gly
20 25 30

Asp Thr Ile Ala Val Asp Asp Thr Leu Ile Thr Leu Asp Leu Asp Ser
35 40 45

Arg Gly Ile Arg Ile Gly Pro Gly Arg Ala Ile Leu Ala Thr Ala Gly
50 55 60

Gly Gly Ala Arg Gln Ser Thr Pro Ile Gly Leu Gly Gly Ala Leu Tyr
65 70 75 80

Thr Thr Ala Gly Gly Gly Ala Arg Lys Ser Ile Thr Lys Gly Pro Gly
85 90 95

Arg Val Ile Tyr Ala Thr Ala Gly Gly Gly Ala Arg Lys Arg Ile His
100 105 110

Ile Gly Pro Gly Arg Ala Phe Tyr Thr Thr Ala Gly Gly Gly Ala Arg
115 120 125

Lys Arg Ile Thr Met Gly Pro Gly Arg Val Tyr Tyr Thr Thr Ala Gly
130 135 140

Gly Gly Ala Ser Ile Arg Ile Gln Arg Gly Pro Gly Arg Ala Phe Val
145 150 155 160

Thr Ile

<210> 27
<211> 202
<212> PRT
<213> Artificial

<220>
<223> Multiepitopic polypeptides that include several copies of the
central part of the variable region 3 of the gp120 protein of the
HIV-1

<400> 27

Met Val Asp Lys Arg Met Ala Leu Val Glu Leu Lys Val Pro Asp Ile
1 5 10 15

Gly Gly His Glu Asn Val Asp Ile Ile Ala Val Glu Val Asn Val Gly
20 25 30

Asp Thr Ile Ala Val Asp Asp Thr Leu Ile Thr Leu Asp Leu Asp Ser
35 40 45

Arg Gly Ile Arg Ile Gly Pro Gly Arg Ala Ile Leu Ala Thr Ala Gly
50 55 60

Gly Gly Ala Arg Gln Ser Thr Pro Ile Gly Leu Gly Gln Ala Leu Tyr
65 70 75 80

Thr Thr Ala Gly Gly Gly Ala Arg Lys Ser Ile Thr Lys Gly Pro Gly
85 90 95

Arg Val Ile Tyr Ala Thr Ala Gly Gly Gly Ala Arg Lys Arg Ile His
100 105 110

Ile Gly Pro Gly Arg Ala Phe Tyr Thr Thr Ala Gly Gly Gly Ala Arg
115 120 125

Lys Arg Ile Thr Met Gly Pro Gly Arg Val Tyr Tyr Thr Thr Ala Gly
130 135 140

Gly Gly Ala Arg Gln Arg Thr Ser Ile Gly Gln Gly Gln Ala Leu Tyr
145 150 155 160

Thr Thr Ala Gly Gly Gly Ala Thr Ser Ile Thr Ile Gly Pro Gly Gln
165 170 175

Val Phe Tyr Arg Thr Gly Ala Gly Gly Gly Ala Ser Ile Arg Ile Gln
180 185 190

Arg Gly Pro Gly Arg Ala Phe Val Thr Ile
195 200

<210> 28
<211> 368
<212> DNA
<213> Artificial

<220>
<223> Synthetic fragment that codifies for MEP TAB9. Restriction sites
XbaI and BamHI are introduced.

<400> 28
tctagactcg agaggcattc gtatcggccc aggtcgcgca atttttagcaa cagctggcgg 60
tggcgcacgt caatctaccc ctattggttt aggtcaggct ctgtatacga ctgccggcgg 120
tgggtgcgcgc aaaagtatca ccaagggtcc aggccgcgctc atttacgcca ccgcggggcgg 180
cggtgcccgt aagcgtatcc acattggccc aggccgtgca ttctatacta cagcaggtgg 240
tggcgcacgt aaacgcatca ctatgggtcc tggtcgcgctc tattacacga ccgctggcgg 300
cggtgctagc attcgcattc aacgcggccc tggtcgtgca tttgtgacca tatgataacg 360
cgggatcc 368

<210> 29
<211> 5
<212> PRT
<213> Neisseria meningitidis (group B)

<400> 29

Met Leu Asp Lys Arg
1 5